

DSS-Optical

BRIOT Alta Evolution Alta XS JON24

Edger Alta Evolution from 2018

- Edger model: Alta Evolution
- Year: 2018
- With Tracer: ##traceur_integre##
- Counter process: 38451

TEST Alta Evolution from 2018

	Lens Feeling (<i>Palpage</i>)	Non
	Lifting jack movement (<i>Mouvement vérin vertical</i>)	Non
	Carriage movement (<i>Mouvement Chariot</i>)	Non
	Lens rotation (<i>Rotation Verre</i>)	Non
	SBGD Exit/Return (<i>Sortie & Retour CBRP</i>)	Non
	Ouverture & Fermeture Visière (<i>Visor Opening / Closing</i>)	Non
	Rotation Meules (<i>Wheels rotation</i>)	Non

	Ouverture & Fermeture Axes (Clamping shafts Opening / closing)	Non
	Pump (Pompe)	Non
	Buzzer	Non
	Touch Screen (Dalle Tactile)	Non
	Temperature	Non
	Micro-switches and photocells (Micro-Contacts)	Non
	Encoders (Codeurs)	Non
	Communication	Non
	Voltmetre	Non

Description of fault: no

Tracer-centerer-blocker Alta XS from 2018

- Tracer model: Alta XS
- Year: 2018

	Left/right motion test Y axis <i>(Check Test translation axe Y)</i>	Non
	Left/right motion test X axis <i>(Check Test translation axe X)</i>	Non
	Lens rotation motion test <i>(Test de rotation verre)</i>	Non
	Lens grip test <i>(Test de préhension du verre)</i>	Non
	Lens rotation motion test, RHO axis <i>(Test de rotation du stylet)</i>	Non
	Stylus Height <i>(Test de translation verticale du stylet)</i>	Non
	Turret Rotation <i>(Test de rotation de la tourelle)</i>	Non
	Scanform™ carriage translation test <i>(Test de translation horizontale du charriot)</i>	Non
	Rods Test (<i>Test des tiges</i>)	Non
	Jaws Test (<i>Test des machoires</i>) :	Non

Description of fault:

Standard Accessories / Accessoires de la meuleuse et du traceur

	Glace dépolie	Non
	5 Briot large magnetic blocks (5 <i>Grands BRIOT M grands</i>)	Non
	5 Briot medium magnetic blocks (5 <i>Grands BRIOT petits</i>)	Non

	3 Calibration lens (3 Verres de réglage)	Non
	Pattern and lens to lens holder (Porte gabarit verre)	Non
	4 Fuses (4 Fusibles 2A)	Non
	Pattern axis adjustement (Outil de réglage axage verre)	
	Scanform gain adjustement tool (Gabarit de réglage gain Scanf)	Non
	Lens offset calculation pattern (Gabarit de calcul offset Verre)	Non
	Scan alignment adjustement pattern (Gabarit de réglage d'axage du traceur)	Non
	Uncut patterns holder (Support de lecteur Gabarit)	Non
	Lens Holder (Support pour verre de présentation)	Non
	Briot medium magnetic block holder Support de Block 17/19/25mm	Non
	Articulated lens clamping adaptor (Embout Presse Verre Rotule 17/19/25mm)	Non
	Flexible lens clamp adaptor (Embout Presse Verre Souple 16/17/19/25mm)	Non
	Power cable (Câble d'alimentation)	Non
	Optical reader (Douchette infrarouge)	Non

Pictures / Photos

General Picture



